- 1 Exploring Barriers to Parent-Adolescent Sexual-Risk Communication among Adolescents
- 2 in Port Harcourt Nigeria: Adolescents' and Parents' Perspective
- 3 Okpalaku Joycelyn Chidinma¹ Chigozirim Ogubuike²
- ¹School of Public Health, University of Port-Harcourt Nigeria
- 5 ²Department of Community Medicine, University of Port-Harcourt Teaching Hospital, Rivers
- 6 State Nigeria
- 7 Correspondence: chidinma.okpalaku@gmail.com
- 8 ABSTRACT
- 9 **Background:** Adolescent risky sexual behaviour is a public health problem with its deleterious
- 10 outcomes. Parents are the most influential source of sexuality education to adolescent, yet
- 11 adolescents lack sexuality education. The study explored barriers in parent-adolescent sexual-
- risk communication from both perspectives in Port-Harcourt LGA, Rivers State, Nigeria.
- 13 Materials and Method: A cross-sectional study design using explanatory sequential mixed
- 14 methods approach was implemented. Three hundred and twenty nine in-school adolescents
- participated in the quantitative study and recruited using multi-stage sampling technique while 9
- parents of adolescents and 16 adolescents participated in the qualitative study. A semi-structured
- 17 administered questionnaire was used to elicit information from the adolescents while an FGD
- and IDI guide was used to elicit information from in-school adolescents and parents respectively.
- 19 The qualitative data was analysed using descriptive statistics and chi-square while the qualitative
- 20 data was subjected to thematic analysis.
- 21 **Results:** The mean age of the adolescents was 16.0±1.1 years and 55% were males. A quarter
- 22 (21%) of the parents had never discussed sex with their adolescents. The barriers identified from
- 23 the adolescents' perspective were parental factors (parents being too busy, judgmental, low

- knowledge), individual factors (discomfort to initiate communication, lack of trust), religious and cultural factors. The barriers from the parents' perspective were shame to initiate communication, fear of outcome, feeling children are too young and lack of accurate information.
- Conclusion: The barriers to parent-adolescent communication featured interplay of parental,
 individual, cultural and religious factors. Parents should be trained to initiate timely and accurate
 sexuality education to the adolescent to curb adolescent risky sexual exploitations.
- **Key words:** Sexual-risk communication, Barriers, Adolescent, Risky sexual behaviour
- **32 Word Count**: 247

BACKGROUND

Adolescence, which occurs between the ages of 10 and 19 years, is a stage between childhood and adulthood marked by profound psychosocial, psychological, and social changes.^{1, 2} Adolescents constitute of 1.8 billion or one-fourth of the world's population, therefore the care for this group is accompanied with socioeconomic progress and societal advancement that are being confronted. ³ They go through anatomical and psychological changes that have a profound impact on their mental wellness, which is manifested as high levels of sexual curiosity. ⁴ This sexual desire could result in risk-taking sexual behaviour if there is no behaviour counselling during the adolescent years. ⁵ Risky sexual behaviours are behaviours that put a person at risk for STIs like HIV and unintended pregnancies. These actions include having several sexual partners, transactional sex, forced or coerced sex, and unprotected sexual contact. ⁶ Adolescents who are sexually active are more likely to participate in risky behaviours that could raise the likelihood of

early sexual activity, increase the chance of unintended pregnancy and abortion, and increase the risk of sexually transmitted diseases. ⁷ Additionally, they are vulnerable to several issues and attitudes related to sexual and reproductive health. ⁸

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

Research has shown that open conversation between parents and children about sex can significantly lower the sexual risk that adolescents face. 9, 10 Adequate sexuality communication between young people and their parents or other caregivers has been found to be one of the elements that protects against non-risky sexual behaviours, such as a delayed sexual debut, especially in females. ¹¹ Open communication between parents and adolescents has been proven essential for lowering the morbidity and mortality associated with risky sexual behaviours. 12 Also, parent-child discussion on sexual and reproductive topics, have shown to increase awareness and reduce risk-taking behaviour. ¹³ According to the Advocates for Youth, parentadolescent sexual-risk communication about contraception, the menstrual cycle, premarital sex, unintended pregnancies, and ways to prevent STDs helps solve problems associated to sexual and reproductive health. ¹⁴ Nevertheless, it is reported that the majority of the knowledge that adolescents have about sex or sex education comes from their female classmates and schoolmates, who rarely provide accurate or precise information. ¹⁵ Research has shown that the sexual behaviour of adolescents is always a sensitive issue in churches, schools, and families with each of them pointing fingers at the other when problems that relate with adolescent sexual behaviour crop up. 16

Most parents find it difficult to discuss sexual and reproductive health issues with their children and instead choose to steer the conversation toward "safe" topics or provide cautionary statements whenever there is a sexually related issue. ¹⁷ Parents and adolescents' communication or lack of it has always arisen to serious social and health consequences which include parent

child conflict, school dropouts, unwanted pregnancy, unsafe abortion, STIs such as HIV and AIDS. Most parents experience discomfort when speaking about adolescent reproductive health with their adolescents and this can hinder the occurrence of effective reproductive health communication. Parent's generally have a negative aversion to communication on sex education and this aversion to the teaching of sexual health by parents is due to a strong proclivity to culture and religious teachings imbibed from their fore parents. Parental and societal distaste to sex education hasn't changed over time which has resulted into an overlooking of adolescents as they receive virtually no or relatively little reproductive health care and education. This study explored parent-adolescent sexual risk communication from both the adolescent and adolescent perspective to unravel the barriers; this would help in policy and programmatic directions curb risky sexual exploitations in adolescents.

This study focused on parent-adolescent communication on sexual risk practices because it is the researcher's conviction that adolescents are greatly influenced by their parents or caregivers which are the most important source on sex education and prevails over other factors that pertain to adolescents. Therefore, this study was conducted to determine the proportion of adolescents that received sexuality education from their parents, explore barriers to parent-sexual risk communication and recommendations for easier sexuality communications by parents.

MATERIALS AND METHOD

89 Study Area

Port-Harcourt city is the capital of Rivers State in Nigeria otherwise known as Port Harcourt Local Government Area (PHALGA). It is one of the 23 local government areas created for the state. It is located in the southern part of the country and is one of the states in the Niger Delta

region. The Local Government Area is bounded by Ikwerre and Etche Local Government Areas at the North, Asari-Toru and Okrika Local Government areas at the South, Emohua LGA at the West and Eleme and Oyigbo LGAs at the East in Rivers State. ²⁰ In 2021, the population of Port Harcourt was estimated to be 3,171,076. ²¹ Port Harcourt is the nerve centre of the Nigerian Oil industry and includes other industries too. It is also the nation's second largest sea port with the Onne Port Complex in close proximity. Marine agriculture is the main occupation of the people of Rivers state with farming and trading being the two major occupations of Port Harcourt residents. The state has a 154 non-tertiary public, private and government schools which means a whole lot of adolescents enrolled into these schools which covers the study population for this study.

Study Design and Population

A cross-sectional study design using the explanatory sequential mixed method approach was utilized for this research. It is a two-phase mixed methods design that starts with the collection and analysis of quantitative data followed by the subsequent collection and analysis of qualitative data. The study population involved in-school adolescents and parents of adolescents. This study included in-school male and female adolescents between the ages of 15-19 years from junior secondary school (JSS3) and senior secondary school (SS1, SS2 and SS3) in selected public and private schools in Port Harcourt LGA. Parents recruited were those that have adolescents. The adolescents were involved in both quantitative and qualitative data collection while the parents were involved in only qualitative data collection.

Sample size determination

- 117 The sample size for the quantitative aspect was determined using Cochran's formula:
- 118 $n = \underline{z^2 p q}$

116

- 119 d²
- Where, n = the desired sample size.
- z =the standard normal deviate, usually set at 1.96 which corresponds to 95% confidence level.
- p = the proportion of adolescents who communicated with their parents on SRH issues was 36.9
- or 37% (Shiferaw et al.) 15
- 124 q = 1 p = 1-0.37 = 0.63
- d = degree of accuracy desired, usually set at 0.05.
- 126 $n=1.96^2 \times 0.37 (1-0.37)/0.05^2$
- = 358. 1. Assuming a non- respondent rate of 10%, the minimum sample size was estimated at
- 128 394.
- For the qualitative aspect, 9 parents of adolescents and 16 adolescents were purposively
- recruited to participate in the study.

131

132

Sampling method

- For the quantitative aspect a multistage sampling method was used in this study. The first stage
- involved random selection of schools. The list of schools in Port Harcourt LGA was obtained
- from the Rivers State Ministry of Education and used as the sampling frame. The schools were
- first stratified into private and public schools and simple balloting was used to select two private
- and two public schools. The second stage is the selection of students according to classes and
- gender. The students were stratified into 3 groups based on their classes i.e. SSS1, SSS2, and

SSS3 and then re-stratified based on their sexes (Males and Females). The third stage involved the proportionate allocation. The sub-sample for each stratum was divided proportionately into the number of arms/forms in each class. The sample size was proportionately divided into each of the strata based on their population. About 100 students were recruited from each school, hence a total of 400 participants were recruited.

In the qualitative aspect the respondents were recruited purposively, the adolescents participated in a focus group discussion (FGD) while the parents participated in an in-depth interview (IDI).

Data Collection

Recruitment for participants for the pilot study commenced on the 5th- 7th May 2021 while recruitment of participants for the study was between 6th– 24thth July 2021. Parents were recruited 6th-11th August 2021.

Structured interviewer administered questionnaires were given to the adolescents which they completed themselves. Data was gotten from the parents via in-depth interview and was audio recorded. The consent of the participants was sought before the research questionnaire was given. Participants were asked to sign on a well-written consent form enclosed on the questionnaire after the study had been explained to them so as to show their voluntary participation. For adolescents below 18 years, it was ensured that their guardians in form of the

school principals were present, signed the consent forms and the adolescents also assented before

questionnaires were administered. The questionnaires were collected after being completed and

the participants were appreciated for their contribution and time.

Study instrument and Data analysis

A pre-tested structured interviewer-assisted questionnaire was used to elicit information on the socio-demographic characteristics of the respondents, source of information and proportion of adolescents that received sex education. The researcher administered the questions to the adolescents and retrieved them after completion. An in-depth interview guide and focus group discussion guide was used to elicit qualitative information on the barriers and facilitators to parent-adolescent sexual-risk communication. The questionnaire was adapted from earlier studies on parent-adolescent communication about sexuality, ^{17, 22, 23, 24} while some other questions were introduced by the researcher and given to two experts to check for face validity. SPSS statistical software version 25 was used for the qualitative analysis. Mean and standard deviation were used for descriptive statistics. Atlast ti software was used for the analysis of the qualitative data. The interviews were audio recorded, transcribed verbatim, carefully read and edited by the researchers to ensure original meanings were not lost to translation. The qualitative data was subjected to thematic analysis.

Ethical considerations

Ethical clearance was obtained from the Research and Ethics Committee of the University of Port Harcourt and permission obtained from the school authority of chosen schools before commencement of the study. A written consent was also obtained from the parents/guardians before starting the study. Assent was gotten for the students below 18 years of age in addition to the written consent signed by their guardians (School Principal) while adolescents 18 years and above completed the consent forms themselves. Information of the study was made available on

each consent form. Confidentiality was guaranteed as personal details of respondents were not included in the data collection instrument. Serial numbers were used and as a result, collected data wasn't linked to any of the respondents.

RESULTS

Socio-demographic characteristics

Socio-demographic characteristics of the adolescents

The socio-demographics of adolescents recruited into the study is shown in Table 1. A total of 329 out of 400 students completed the questionnaire giving a response rate of 83.5%. The result revealed that 236 (71.7%) of the adolescents were between the ages of 15-16 years with a mean age of 16.0±1.1 years, 190 (57.8%) were males, 165 (50.2%) were in SS2 and 316 (96.0%) of the respondents were Christians. Most of the adolescents 223(67.8%) belonged to a monogamous family and 202(61.4%) lived with their biological parents. About 196(59.6%) of the adolescents had a family size of 4-6 persons, 129(39.2%) of the adolescents' fathers had only vocational training, 102(31.0%) of the adolescents mothers had no formal education, 145(44.1%) of the adolescents' fathers were self-employed and 204(62.0%) of the adolescents' mothers were self-employed. For the qualitative data, 16 adolescents participated in an FGD of two groups (8 males and 8 females).

Socio-demographic characteristics of parents

Nine parents of adolescents participated in an IDI session comprising of 5 males and 4 females among which 3 were teachers, 3 traders and 3 civil servants. Six of them had attained a tertiary education and three had attained a secondary education.

Table 1a: Socio-Demographic Characteristics of Adolescents in Port Harcourt, Rivers State

Variable	Frequency n=329	Percentage
Age group		
15-16 years	236	71.7
17-19 years	93	28.3
Mean age	16.0±1.1	
Sex		
Male	190	57.8
Female	139	42.2
Class		
SS1	136	41.3
SS2	165	50.2
SS3	28	8.5
Religion		
Christianity	316	96.0
Islam	10	3.0
Traditionalist	3	0.9
Family type		
Monogamy	223	67.8
Polygamy	38	11.6

Single parent	55	16.7
Step parent	13	4.0
Family structure		
Two Biological parents	202	61.4
Biological father only	15	4.6
Biological Mother only	34	10.3
Biological father and step mother	9	2.7
Biological mother and step father	5	1.5
With guardian	52	15.8
Other family member (grandparents)	12	3.6

215 Table 1b: Social Demographic Characteristic of Adolescents in Port Harcourt, Rivers State

Variable	Frequency n=329	Percentage	
Family size			
Less than three	42	12.8	
Four to Six	196	59.6	

Seven to nine	62	18.8
10 and above	29	8.8
Father's education		
No formal education	129	39.2
Vocational training	118	35.9
Primary	29	8.8
Secondary	37	11.2
Tertiary	16	4.9
Mother's education		
No formal education	102	31.0
Vocational training	141	42.9
Primary	27	8.2
Secondary	41	12.5
Tertiary	18	5.5
Father's occupation		
Employed by the government	79	24.0
Private employment	91	27.7
Self-employment	145	44.1
Unemployed	14	4.3
Mother's occupation		
Employed by the government	55	16.7
Private employment	52	15.8
Self-employment	204	62.0

Unemployed 18 5.5

Proportion that received sexual education from parents

Table 2 shows the proportion of adolescents that received sexual education from their parents.

It was shown that 69(21.0%) of the parents had never discussed sex education with their children, 107(32.5%) of adolescent reported that they would be more comfortable discussing sexual related issues with their mother. A majority of them 190(57.8%) received sexual

Table 2: Proportion of Adolescents in Port Harcourt, Rivers State That Received Sexual

Education from Parents/guardians

education from school.

Variable	Frequency n=329	Percentage	
How often parents/s	guardian		
discuss sex education			
Never	69	21.0	

Rarely	91	27.7
Sometimes	123	37.4
Often	20	6.1
Always	26	7.9
Comfortable discussing	sexual	
related issue with		
Father	35	10.6
Mother	107	32.5
Siblings	31	9.4
Teachers	17	5.2
Peers of the same sex	50	15.2
Friends	89	27.1
Source of sex education		
Home	105	31.9
School	190	57.8
Internet/social media	25	7.6
Church	9	2.7

238	Perceived Barriers to Parent-adolescent Sexual-risk Communication: Adolescents'
239	Perspective
240	Adolescents outlined some of the perceived barriers to effective sexual-risk communication. The
241	barriers were grouped into three broad factors; parental factors (parents being too busy, parents
242	are too judgmental, parental poor/inaccurate knowledge on sex education, parental belief that
243	discussion will initiate sex); individual factors (lack of trust, fear/discomfort with discussion) and
244	religious/cultural factors.
245	A. Parental factors
246	Parents too busy with work
247	One of the barriers to effective sexual risk communication between parents and adolescents were
248	parents being too busy with work and rarely had time to communicate with their wards.
249	A male adolescent had asserted that:
250	My dad is hardly ever home and even when he is at home; he says he's too tired to have any
251	conversations with me. He doesn't have out time. All of my sexual knowledge is either from
252	school, my friends or from the internet.
253	Male Adolescent (16-20 years)
254	A female adolescent had this to say:
	A female adolescent had this to say.
255	My mom is always travelling for business so, discussing sex with her is almost impossible. I can't
256	discuss with my dad because he is of the opposite sex. Most of the knowledge I have on sex is
257	what I was taught in school by my teachers, some form my friends too.
258	Female Adolescent (11-15 years)

Due to parents being too busy at work, adolescents' rarely received sexual-risk communication from their parents. They mentioned receiving sexual education from the school, their teachers, peers and the internet.

Parents are too judgmental

All female adolescents agreed that their parents are too judgmental which is why they don't discuss sexual and reproductive health issues with them, also their male counterpart asserted same. One of the female adolescent reported that:

I don't discuss sexual matters with my mom because she will just assume that I want to start having sex that I why I am asking so, I don't bother meeting her to start up such discussions. She judges a lot and condemns me.

Female Adolescent (16-20) years

A male adolescent averred that he wouldn't discuss sex with his parents because:

My first knowledge about SRH was from school. My parents are the kind of people that read meaning into everything; even mere questions. I asking questions about these issues will mean that I have already started having sex or I want to have sex. There was this time i asked my dad if condoms were 100% effective in preventing pregnancy....My dad called my mom immediately and they started asking me all sorts of really embarrassing questions. Since then, i never asked them such questions again.

Male Adolescent (16-20 years)

The adolescents reported that their parents were too judgemental, read meaning into little things and condemn them when they asked questions on sexual and reproductive health related matters.

They resorted never to have such discussions again with their parents.

281	Parental Poor/inaccurate knowledge on SRH issues
282	Some of the adolescents admitted that their parents do not have adequate/relevant information on
283	sexual and reproductive health. They asserted that the sexuality knowledge of their parents were
284	archaic/out-dated. A male adolescent reported that:
285	I don't discuss sexual issues with my parents especially my mom because they are both 'old
286	school'. Whatever information they have will be archaic. It's either I discuss with peers/friends
287	or use the internet
288	Male Adolescent (16-20 years)
289	One of the female adolescents affirmed same:
290	I don't think my parents are well equipped to give me adequate knowledge on SRH issues. They
291	are archaic. They do not just have enough knowledge. At least I receive up-to-date information
292	in school from my teachers, peers and sometimes from the internet.
293	Female Adolescent (11-15 years)
294	Adolescents' reported that their parents were not well equipped to give updated information on
295	sexual and reproductive health issues hence they shy away from such discussions with them.
296	They also narrated meeting their peers and the internet for information.
297	Parental Belief that discussion will initiate sexual intercourse
298	Some of the adolescents reported that they have not received sex education from their parents
299	because their parents believed it would expose them to sexual exploitation. One of the adolescent
300	avowed:
301	Whatever information I got first about sex was from the school. My parents have never discussed
302	sexual issues with me because they probably feel that I would want to venture into sex.

303	Male Adolescent (11-15 years)
304	In affirmation, another male adolescent narrated that:
305	The first time I asked my dad about sex, he was very angry and asked me if I had already started
306	having sex or want to have sex. He also assumed that I had already started having sex when I
307	first asked him about condoms. He almost beat me up because of that one simple question. I was
308	only between 11-15 years old at the time and as a result I vowed never to discuss sexual issues
309	with my dad and he doesn't discuss with me either. I learn from peers and the internet
310	Male Adolescent (16-20 years)
311	Parental assumptions that sexual education leads to initiation to sexual intercourse was reported
312	by the adolescents as barriers to sexual-risk communications.
313	B. Individual factors
314	Lack of trust
315	All female adolescents agreed that lack of trust between parents and the adolescents hindered
316	effective sexual and reproductive health discussion. Some of their words are captured below:
317	A female respondent related that:
318	I don't trust my mom and my mom just doesn't trust me to have these kinds of discussions with
319	me. She feels having these discussions is a way of encouraging me to venture into sex which isn't
320	true at all.
321	Female Adolescent (16 -20 years)
322	
323	Another female adolescent affirmed that:

324 My parents do not trust my friends because they feel they will influence me negatively and as a 325 result they do not trust me either. I have been warned against having a boyfriend or having sex. 326 If I dare broach the subject of sex to them, then I'm looking for trouble 327 Female Adolescent (11-15 years) Lack of trust by their parents and lack of trust parents had on their friends was reported by the 328 329 adolescents as hindrances to sexual risk communication by their parents. Feeling of discomfort with sexual discussion 330 331 Some of the adolescents reported that they felt uncomfortable having sexual discussion with their 332 parents. They also noted that their parents felt very uncomfortable too with such discussions. A 333 female adolescent reported that: 334 Whenever I ask my Mom about sexual issues, she gets so uncomfortable with the discussion that 335 after a while I stopped discussing with her but I discuss with my friends in school. 336 Female Adolescent (16-20 years) 337 A male adolescent asserted same: 338 My parents rarely discuss sexual issues with me because they are always so uncomfortable with 339 the discussion which also makes me uncomfortable too. I think we all noticed this and stopped its 340 discussion completely. They don't discuss sexual matters with me anymore. 341 Male Adolescent (16-20 years) Sexual risk communication discomfort was reported by the adolescents as barriers to sexual 342 343 education. As a result of this discomfort they sourced sexual and reproductive information from 344 their friends.

345	Fear to initiate sexual with discussion
346	Some of the adolescents reported being too scared to initiate discussion with their parents.
347	A female adolescent averred that:
348	I discuss more of SRH issues like physical development, menstruation with my mom because we
349	are of the same gender. I dare not mention sex or any related topic to her because she will beat
350	me. She will think that I have a boyfriend and want to experiment with him.
351	Female Adolescent (16-20 years)
352	A male adolescent corroborates same:
353	I would love to discuss sexual issues with my parents but I am too scared of what they will think
354	or feel about me.
355	Male Adolescent (16-20 years)
356	Some of adolescents reported being selective on sexual and reproductive health issues to discuss
357	with their parents as a result of fear associated with sexual discussions.
358	C. Religious/Cultural factors
359	Some of the respondents revealed that their parents do not discuss sex with them because it is
360	against their religion, cultural or traditional affiliations.
361	One of the female adolescent narrated that:
362	my parents are just too religious. Such discussion is a forbidden at home. If I even ask them by
363	mistake, they will skin me alive because they will assume that I want to start experimenting. I'm
364	not even allowed to have male friends around me.
365	Female Adolescent (16-20 years)
366	A male adolescent affirmed that:

367 My parents do not discuss sexual issues with me or my siblings because it is against our religion. 368 Our Church forbids such discussions in the home. Whatever I know about sexual issues, I got 369 from my friends in school. 370 Male Adolescent (16-20 years) Cultural factors were highlighted as a hindrance to sexuality education. A female adolescent 371 372 avowed that: 373whenever I ask my mom about issues relating to sex, she always tells me it is against our 374 culture to discuss such issues with children." 375 Female Adolescent (11-15 years) 376 Adolescents reported that their parent considers sexual education as a taboo as a result of their 377 religious and cultural affiliations. Perceived Barriers to Parent-adolescent Sexual-risk Communication - Parents' Perspective 378 379 When it comes to the necessity of discussing sexual and reproductive health issues with 380 adolescents, parents had a whole lot to say on this. Some of the parents were in the opinion that 381 children may make mistakes if sexuality education isn't discussed with them and were in 382 agreement that these discussions are needed while a few felt that sexual education isn't 383 necessary. They perceived that these discussion will give children ideas on sex as children listen 384 more to their parents than they do other persons, they also perceived that discussion will initiate 385 sexual experimentation/early sexual debut. 386 In agreement on the important of sexuality education to adolescents, one of the parents reported 387

that: ...discussion with children is very necessary because parents underplay the influence they

388

have on their children's decisions.

389	Female Parent of Adolescent, Teacher
390	In corroboration, another parent narrated negative consequences of non-sexuality
391	communication:
392	I think parents should discuss with their children. My neighbour's daughter got pregnant as a
393	teenager and that brought shame to the family. She had to quit going to school at a point as a
394	result of this. Maybe, if her parents had discussed these things with her, she won't have made
395	such a mistake. As a result of this, I had to start discussing sex with my children. Children should
396	be armed with the knowledge to make wise decisions regarding their sexual life
397	Male Parent of Adolescent, Civil Servant
398	In disagreement, one of the parents opined that:
399	No, discussion on sex with my children will give them ideas to experiment. I don't discuss it with
400	my children.
401	Male Parent of Adolescent, Trader
402	A female parent averred that:
403	No, I don't discuss with my children though because I am not comfortable having such
404	discussion with them
405	Female Parent of Adolescent, Petty Trader
406	
407	Parents narrated their perceived barriers to sexuality communication with the adolescents. These
408	barriers were grouped into three factors namely; Individual factors (shame initiating sexuality

discussion and gender barriers, barely enough time for discussion, level of education of parents),

410	adolescent factors (fear that children will want to experiment sexually, feeling that children are
411	too young to be educated on SRH issues), and tradition/religious beliefs.
412	A. Individual factors
413	Shame initiating sexuality discussion and gender barriers
414	Parents revealed that they sometimes experience a feeling of shame while discussing SRH issues
415	with their children. A female parent reported:
416	I have never discussed things like puberty with its associated changes in males and females with
417	my children because i feel so shamed discussing these issues with them it is an abomination in
418	my culture too. My mom never discussed with me so, i never do with my children."
419	Female Parent of Adolescent, Petty Trader
420	Gender barriers were one of the factors that hinder parents from effectively discussing sexual and
421	reproductive health issues with their adolescents as revealed in the study. Parents fail to discuss
422	with their children of the opposite sex on sexuality education such as condom use, puberty and
423	physical development. A female parent averred that:
424	I have 2 sons who I can't communicate on sex, condom use or things like 'wet dreams' because it
425	is shameful for me. I leave this discussion for my husband to do.
426	Female Parent of Adolescent, Teacher
427	A male parent had this to say:
428	I really feel is awkward discussing with my daughters especially on puberty and
429	menstruation. It is the job of their mother and their teachers

Male Parent of Adolescent, Civil Servant

- Shame initiating sexuality discussions and gender barriers were one of the factors that hinder
- parents from effectively discussing sexual and reproductive health issues with their adolescents.

434 **Barely enough time for discussion** 435 Another barrier that was highlighted by parents was the issue of time. Some of the parents do not discuss with their children because they are just too busy with work and so the discussion is 436 437 usually left to the other spouse. 438 A male parent gave this as a reason:my kind of job doesn't give me enough time to discuss with my children. I'm usually really 439 440 tired when I get home and I work most weekends. I only make out time to discuss really important stuff with them. 441 442 Male Parent of Adolescent, Civil servant 443 Another corroborated same: 444 I don't have that kind of time. My husband is late so, the whole responsibility of catering for the family falls on me. It's not easy to be the only parent so, I'm so busy. My child is also a male so; 445 446 discussing SRH issues with him is not something I'm comfortable with. 447 Female Parent of Adolescent, Cleaner 448 Parents reported not having enough time for sexuality education and abandoning the sex 449 education for their spouse who may barely have the time to initiate such discussions. 450 Level of education of parents 451 Another striking barrier is the level of education of parents. Parents who had a higher level of 452 education or work in a corporate establishment discuss more about SRH especially sexual issues 453 than others who had a lower level of education. A male parent with secondary school education

454

reported that:

455	I have never discussed sex education with my children because i feel they shouldn't know about
456	these kinds of things. What they don't know will not 'spoil' them.
457	Male Parent of Adolescent, Trader
458	A female parent also with secondary education narrated the disadvantage of sex education:
459	I have never discussed sex education with my son. I don't think it's important that he knows
460	about sex. He may want to experiment if i start discussing with him.
461	Female Parent of Adolescent, Cleaner
462	Some of the parents who had secondary education never had discussion of SRH issues with their
463	adolescents because of fear of negative impact from the discussion.
464	B. Adolescent factors
465	Fear that children will want to experiment sexually
466	Some of the parents expressed fear as the reason why they do not discuss SRH issues with their
467	adolescents A parent reported that:
468	Discussing issues like condom use, sex, STIs/STDs will make my sons feel that they can venture
469	into sex even before they come of age. This is why I don't discuss these with them.
470	Female Parent of Adolescent, Teacher
471	Another parent had this to say:
472	Discussing things like pregnancy and prevention, relationships etc. will make my daughter feel
473	that it's okay to have sex in her relationships with the opposite sex probably. Children of this age
474	just want to experiment and besides, she is also too young to understand.
475	Female Parent of Adolescent, Trader

476	Parents feared that discussion about pregnancy, how to practice safe sex, condom use and
477	sexually transmitted infections will push or encourage their children into engaging in sexual
478	activities
479	Feeling that children are too young to be educated on SRH issues
480	Most parents do not discuss SRH issues with their children because they feel that their children
481	are too young to be taught SRH issues like sex, pregnancy, condom use, STIs/STDs.
482	A female parent expresses:
483	My daughter is too young for this sort of discussion and I don't really feel comfortable
484	discussing these kinds of things with her. How can I start educating my less than 15 year old
485	daughter about pregnancy, sex or even STIs? I can't discuss these with her at such a young age.
486	Female Parent of Adolescent, Petty Trader
487	Another female parent had this to say: I have never discussed sex with my children because they
488	shouldn't know about sex at their age. They are too young for that
489	Female Parent of Adolescent, Trader
490 491	Adolescents especially at their early adolescence were perceived to be too young to receive sexual education by their parents.
492	C. Tradition/Religion
493	Tradition and religion were also seen as barriers to effective parent-adolescent sexual risk
494	communication. A male parent inferred that:
495	For me it's against my tradition to discuss these things with my children especially my son who
496	is too young. He's less than 15 years. I feel he should know stuff like these when he's officially

an adult. Male Parent of Adolescent, Trader

498 Another parent extrapolated that:

I have never discussed sexual issues with my children because the church frowns at it. I only discuss things like menstruation with my daughter because she needs to know about it and physical development for all my children because they all need to know.

Female Parent of Adolescent, Petty Trader

Some of the respondents reported that they do not discuss sexual issues with their children because tradition and region doesn't allow it. For some of the female parents they only discussed menstruation and physical development with their daughters.

Facilitators of sexual and reproductive health discussion with adolescents

Parents were asked what would make it easier for them to discuss SRH issues with their adolescents. The facilitators as listed by the parents were grouped into three; adolescent factors (attaining maturity, closeness with adolescents, and initiation of discussion by adolescence), eliminating barriers (prior discussion by their own parents, permission by the traditional and religious organizations) and parents' inclusion in sex education (integration of parents on SRH discussions in school).

A. Adolescent factors

Maturity of the Adolescent and Closeness with children

Some of the parents believed that attaining maturity by the adolescents would necessitate easier

adolescent sexual and reproductive health discussions. A parent stated that:

My children being old enough will make it easier to discuss with them. They are too young right

now and may not understand the importance of discussion.

Male Parent of Adolescent, Trader

520	Another parent asserted: Discussing sexual issues with my children will probably be easier if
521	they initiated the conversation themselves.
522	Male Parent of Adolescent, Teacher
523	Another parent believed that parent-adolescent relationship and closeness would facilitate easier
524	adolescent sexuality communication. A male parent agreed that:
525	I'm not very close with my children so, they barely discuss this with me or i with them. Closeness
526	with them would have made discussion really easy.
527	Male Parent of Adolescent, Civil servant
528	Adolescent attaining maturity, adolescents initiating sexuality conversation, closeness with
529	adolescents were some of the adolescent facilitators to initiating sexual-risk communication.
530	B. Eliminating sex education barriers
530 531	B. Eliminating sex education barriers Receiving prior communication from parents
531	Receiving prior communication from parents
531 532	Receiving prior communication from parents A prior sexuality discussion with parents was suggested to facilitate easier sexual and
531 532 533	Receiving prior communication from parents A prior sexuality discussion with parents was suggested to facilitate easier sexual and reproductive health discussions with their children.
531 532 533 534	Receiving prior communication from parents A prior sexuality discussion with parents was suggested to facilitate easier sexual and reproductive health discussions with their children. A female parent had this to say:
531 532 533 534 535	Receiving prior communication from parents A prior sexuality discussion with parents was suggested to facilitate easier sexual and reproductive health discussions with their children. A female parent had this to say: If my own parents had discussed this with me as an adolescent, maybe discussing with my own
531 532 533 534 535 536	Receiving prior communication from parents A prior sexuality discussion with parents was suggested to facilitate easier sexual and reproductive health discussions with their children. A female parent had this to say: If my own parents had discussed this with me as an adolescent, maybe discussing with my own children won't be so difficult or uncomfortable.

Permission by traditional and religious organizations

541	Some of the parents reported that cultural and religious factors impeded free sexuality
542	conservation with their wards.
543	A parent averred that: If tradition and my church don't forbid it, I would probably discuss with
544	my children on these matters but as it stands now, my hands are tied.
545	Female Parent of Adolescent, Petty Trader
546 547	Parents recommend that traditional and religious bodies should encourage sexuality communications to the adolescents.
548	C. Parents inclusion in sex education
549	Integration of parents on SRH discussions in school
550	Parents mentioned that being included in SRH programmes in their children's school would go a
551	long way in reminding parents of the importance of discussing SRH issues with their children.
552	A male parent related that:
553	I am a teacher and in the course of my work, I discovered that most parents do not discuss sexual
554	matters with their children unless something bad happens. I think schools should include parents
555	in sex education especially during PTA meetings. Parents can then be encouraged to discuss
556	sexual matters with their children.
557	Male Parent of Adolescent, Teacher
558	A female parent affirmed that:
559	Even though I don't discuss sexual matters with my children, i feel that if schools invite parents
560	over and discuss this with them, they will be more open to also discuss with their children.
561	Female Parent of Adolescent, Trader

Parents reported that integrating sexual and reproductive health discussions in school using avenues like the Parents Teachers Association (PTA) would facilitate sexuality educations with adolescents at home.

DISCUSSION

567

568

569

570

571

572

573

574

575

576

577

578

579

580

581

582

583

584

585

586

587

588

Sex education plays a vital role in the sexual and reproductive health of adolescents; however, parents find it difficult to initiate sexual-risk communications. Adolescents' involvement in risky sexual behaviours places them at risk of serious unhealthy consequences not only for them but for their parents and the entire community at large. This study was conducted in Rivers State, Nigeria to determine the proportion of adolescents that received sex education from their parents, explore perceived parent-adolescent barriers to sexual-risk communication and factors that may facilitate parent-adolescent sexual-risk communication. This study revealed that a quarter (21.0%) of the parents had never discussed sex education with their children; however, one-third (32.5%) of the adolescents reported being more comfortable discussing sexual-related issues with their mothers when communication occurs. A higher proportion was found in a study conducted in the USA from 2011–2015 were 57% of adolescent males and 43% of adolescent females did not receive information about sexual birth control or sex education before they first had sex. ²⁵ A lower proportion was found in a survey done in southern Ethiopia, which revealed only a low proportion of adolescents communicated with their parents on SRH issues. 12 In corroboration, a study carried out in Nigeria revealed that the prevalence of communication between parents and children is low on SRH topics such as HIV/AIDS, family planning, and contraception, at 37.4%, 32.5%, and 9% respectively.²⁶ Similarly, another study conducted in Ebonyi State, Nigeria also revealed that the majority of

adolescents never discussed anything related to sex with their parents or caregivers but discussed

it with their friends or peers. ²⁷ The similarities in these studies may be due to the barriers

associated with parent-adolescent sexuality communications. This low parent-adolescent sexual

and reproductive health communication can make adolescents more prone to diverse negative sexual and reproductive health outcomes.

589

590

591

592

593

594

595

596

597

598

599

600

601

602

603

604

605

606

607

608

609

610

611

With the low parent-adolescent sexual and reproductive health communications observed in this study, the barriers were explored from both the adolescent and parent's perspective. Adolescents outlined some of the perceived barriers to effective sexual-risk communication grouped into three broad factors namely, parental factors (parents being too busy, parents being too judgmental, parental poor/inaccurate knowledge on sex education, parental belief that discussion will initiate sex); individual factors (lack of trust, fear/discomfort with discussion) and religious/cultural factors. Focusing on the adolescent perspectives, both the male and female adolescents jointly agreed from their different focus group discussions that their parents were too busy to initiate sexual and reproductive health communications with them. Parents left home most times early in the morning and returned home late at night tired. They barely had time to interact with the adolescents or even engaging in sexual-risk communications. This was in line with a qualitative review in East Africa that showed parents had no time to interact with the adolescents especially the publically employed with tight working schedules, unlike the selfemployed parents who had more time to discuss with the adolescents. ²⁸ In agreement, another study revealed that adolescents felt disconnected from their parents due to the fact that they are always busy with work or never home resulting in parent-adolescent sexuality barriers. ²⁹ This reveals the need for work-life balance to enable parents to spend more time with their children and discuss sexual and reproductive health matters with them. The adolescents also indicated the information they obtained on sex education was gotten from the schools, their peers and from internet sources. This was similar with finding conducted by Krugu et al. ³⁰ and Motsomi et al. ²⁹ in Ghana and South Africa respectively.

The focus group discussions with the adolescent also revealed female adolescents do not discuss sexual matter with their parents because parents are too judgmental and would feel that they are already engaging in sex or want to initiate sexual intercourse through discussions on sexual matters. A study conducted in South Africa revealed same, it was reported that female adolescents found it difficult to face their parents after such a discussion and they thought their mothers would condemn them and assume they had started sleeping around with boys. ²⁹ In the same vein, some of the male adolescents reported that they asked their fathers' about condom use and its effectiveness in prevention of pregnancy and they received a shocking feedback, they were either beaten or interrogated further in a condensing manner. With these judgmental attitudes by parents, most of the adolescents never initiated such conversations again; they relied on other sources of information. Health education may be useful in correcting this poor knowledge and judgmental attitude of parents.

Most of the adolescents believed that their parents had poor or inaccurate knowledge on sex education. They felt that their parents were either "old school" or have archaic knowledge on sexuality matters hence they relied on other updated sources especially the internet and social media platforms. In agreement, a study conducted in Ibadan reported that parents felt their children thought they were "old school" (traditional in views) and may judge them when they initiate a conversation around SRH issues.³¹ This finding was in corroboration with a study carried out in Ebonyi State, Nigeria which revealed that parents reported that they do not know what to discuss when it comes to sex-related matters. ³² Similarly, another study revealed that parent was unsure of right answers to questions on sex which served as a barrier to sexuality communications. ³³ The similarities in these studies reveal the need for enhanced training in sex education for parents and guardians.

Following the individual factors, adolescents reported they trusted their parents less with sexual-risk communications. Also, most of the female adolescents reported that their parents do not trust them because of the friends they keep. Their parents feared they were already sexually active or that such communication could lead to future experimentation by the adolescents. This was in line with a study that reported barriers to sexual communication; it was noted that sex education was perceived to lead to an early sexual debut and has no positive effect on adolescent behaviour. ³³ A few reported that the only sexual and reproductive health communication they had with their parents was on physical development and menstrual hygiene. The adolescents further revealed that they were uncomfortable engaging in sexuality discussions with their parents, and some of the adolescents were too scared to initiate such discussions. Similar findings from a study revealed barriers to effective sexual risk communication, including discomfort with discussion and disinterest in adolescents. ³³ Health education and enhancing parent-child relationships could limit these trust and misconception barriers.

The cultural and religious inclinations of their parents were reported by both genders as stumbling blocks to sex education. Adolescents reported that their parents vehemently refused to engage in sex education with them, even when they tried to initiate the conversation. Culturally, it was perceived as taboo to be discussed, and religiously, it was perceived to lead to sin. This finding was in agreement with a study conducted in Ghana, which revealed that the majority of rural adolescents do not communicate with their parents or caregivers with regard to sexual issues due to cultural and religious norms that prohibit adolescent-parent sexual communication.

Parents also expounded on some problems they encounter while discussing sexual and reproductive health matters with their adolescents. When parents were asked if they agreed to

initiate sexuality education for adolescents, varying opinions were received. Most of the parents who were traders were in disagreement while the teachers and civil servants were in agreement on discussing sexuality education with the adolescents. Similarly, a study revealed that parents who were civil servants were more likely to initiate sexuality communication than those in other groups. ³⁵ This may be due the exposure that stems from working in an enlightened organization which could increases the knowledge of parents on the necessity of sexuality education. The parents who were in agreement to initiate sexual and reproductive health communications further expressed that a lack of sexuality communication could lead to more deleterious sexual and reproductive outcomes.

Parents narrated their perceived barriers to sexuality communication with the adolescents. These barriers were grouped into three factors, namely: individual factors (shame initiating sexuality discussion and gender barriers, barely enough time for discussion, level of education), adolescent factors (fear that children will want to experiment sexually, feeling that children are too young to be educated on SRH issues), and tradition/religious beliefs. Parents expressed being shy and having discomfort initiating sexuality and reproductive health discussions. A study conducted in South Africa revealed that most parents expressed discomfort and experienced embarrassment discussing sexual issues with their children, and they fear being misconstrued as wanting to engage in sexual activity with them. ²⁹ However, one of the female parents revealed she never received such discussions from her mother and would never initiate such discussions due to shame and embarrassments that emanates from such conversations. In agreement, a study revealed parental barriers as parental discomfort discussing sex. Health education could be helpful to bridge these communication barriers. ³⁶

Gender barriers were outlined as one of the hindrances parents face to effective discussion on sexual and reproductive health issues with their adolescents. Parents find it difficult to discuss with their children of the opposite gender sexual and reproductive health topics such as condom use, puberty, and physical development. This poses a problem as parents of both sexes tend to communicate with children of the same gender; fathers would rather discuss with their sons, while mothers do the same for their daughters. In corroboration, a qualitative review conducted in East Africa reported gender barriers in that mothers and fathers of adolescents in this region discuss more with adolescents of the same sex because both parents feel shy and hence find it difficult to openly talk to their children. ²⁸This poses a need to address gender norms and stereotypes as it creates a stumbling block to parent-child sexual-risk communications.

Another barrier that was highlighted by parents was the issue of time. Some of the parents do not discuss this with their children because they are just too busy with work. In most cases, they assume the other partner would engage in such a discussion with the adolescent. Parents who had attained a higher level of education or worked in a corporate establishment discussed more sexual and reproductive health issues with their adolescents than others who had a lower level of education. This corroborates findings which revealed that parents with a tertiary level of education were more likely to initiate sexual and reproductive health communication than those with a primary level of education. ³⁴ A qualitative review in East Africa showed that educated parents had the patience to talk verbally and face-to-face with their adolescents as compared to parents with less or without education. ²⁸ More health education and enlightenment campaigns would be useful to break these barriers.

Most of the parents expressed fear in initiating sexuality education with the adolescents. They feared that discussions about pregnancy, how to practice safe sex, condom use, and so on would

push or encourage their children to engage in sexual activities. This was in line with a study that revealed that parents felt that engaging in discussions about sexuality and reproductive health issues would encourage their children to indulge in sex. ²⁹ Most parents do not discuss sexual and reproductive health issues with their children because they feel that their children are too young to be taught about issues like sex, pregnancy, condom use, and STIs, they also believe they are too young to comprehend. They believed that the knowledge would come naturally to them as they grow into adulthood. This was similar to a finding from South Africa, which reported that most parents cited discussing issues pertaining to puberty, condom use, sexually transmitted infections, and contraceptives as inappropriate because their children are still too young. ²⁹ Another study affirmed that a child being too young served as a hindrance to parent-adolescent sexuality communications. ³² Nevertheless, Nundwe ²² indicated that effective interaction on sexual and reproductive health is likely to reduce adolescent risk-taking sexual behaviours when parents talk with adolescents on sexuality issues.

Cultural and religious beliefs were also seen as inhibiters to effective parent-adolescent sexual risk communication. Some of the parents reported that they do not discuss sexual and reproductive health matters with their children because their traditional and religious belief frowns at such discussions. In the same vein, Malaclane and Beckmeyer ³⁵ revealed parental barriers to include: racial/ethnic and religious factors. This was similar to studies conducted in South Africa and East Africa, which showed that traditional norms, culture and religious beliefs prohibited parents to speak on issues regarding sexuality to adolescents as it's seen as an abomination and a taboo hence they shy away. ^{28, 29} This may possibly indicate parents' incapability to disentangle from the traditional and religious norms around sexuality which is believed that such discussion could lead adolescents into sexual explorations. This further

emphasizes the need to change the culture of silence around sexuality and educate adolescents appropriately on sexual and reproductive health issues.

Facilitators for easier parent-adolescent sexual and reproductive health discussion were also explored. Parents suggested that prior discussion on sexuality communications by their own parents, permission by the church, removing traditional barriers, initiation of discussion by adolescence, adolescents attaining maturity, having a closer relationship with the adolescents and integration of parents on sexual and reproductive health discussions in school would help facilitate sexuality discussions. Adolescence is a crucial time for socialization and one important aspect of socialization is communication about sexual and reproductive health matters. ³⁶ The earliest and critical influencers on the sexual development of children are parents which make them most suitable source of provision of sex education to their wards due to extensive involvement in their lives. ²⁴ Parents have the ability to guide their children's sexual and reproductive health development, and also encourage them to practice safe sexual behaviour. ¹³ In facilitating parent-adolescent sexual-risk communications, parents must learn to interact socially with the adolescents.

Conclusion

The current study revealed that a quarter of the parents had never discussed sex education with their children, and one-third of the adolescents reported being more comfortable discussing sexual-related issues with their mother. It was shown that more than half received sexual education from school; others were from home, the internet, or social media. From the adolescent perspective, adolescent perceived barriers to sexual risk communication include adolescents being scared or uncomfortable discussing sex with their parents, parents being too busy, parents being too judgmental, a lack of trust by parents, belief by parents that sexuality discussions would lead to early sexual initiation, parents having poor or inaccurate knowledge about sex and cultural or religious barriers. Parents perceived barriers to adolescent sexual risk communication as gender differences or barriers, shame initiating sexuality discussion, fear that children will want to experiment sexually, feeling that children are too young to be educated on SRH issues, inadequate knowledge of SRH topics, lack of time for discussion, level of parental education, and traditional or religious beliefs. Understanding these barriers would help in improving parent-adolescent sexuality communications in Rivers State and in Nigeria at large.

This study had its limitations, due to the sensitivity of the topic; some of the adolescents were shy during interview sessions. To curb some of these limitations, the adolescents were assured of the confidentiality of the information divulged. The parents that engaged in the in-depth interview gave the same responses; thus, we achieved saturation on time, hence the small sample size. Finally, this study was conducted among in-school adolescents and may not be generalizable for out-of-school adolescents. Despite these limitations, the study contributed a lot to the literature by expounding on parent-adolescent barriers to sexual risk communication in Nigeria.

We recommend that adolescents should also be open to having an open and honest discussion about sex with their parents so as to minimize risky sexual behaviour. Parents should be trained to start sexuality education especially at early adolescence. The government should organize training for parents to enable them overcome the barriers to discussing sexual and reproductive health issues with their children and also on how to properly communicate with their children of

the opposite sex. Programs to address socio-cultural norms and religious beliefs that act as stumbling blocks to communication could be useful. The Ministry of Health and Education should also organize school health programmes to coach parents and adolescents on how best to overcome the barriers to parent-adolescent sexuality communication.

775

771

772

773

774

776

777

References

- 1. Bourke S, Fomby P, Mollborn S, Sennott C. Race/ethnic differences in effects of family instability on adolescents' risk behaviours. Journal of Marriage and the Family 2014;
 72:234–253. pmid:20697458.
- United Nations Population Fund . The sexual and reproductive health of young
 adolescents in developing countries: Reviewing the evidence, identifying research gaps,
 and moving the agenda. 2018.
- 784
 3. United Nations Population Fund. Strategy on adolescents. United Nations Population
 785
 Fund. 2013. www.unfpa.org.
- 4. Rambaree K, Mousavi F, Ahmadi F. Sports participation and drug use among young
 people in Mauritius. *Int J Adolesc Youth* [Internet]. Routledge 2017; *3843*:1–10.
 http://doi.org/10.1080/02673843.2017.1325756
- 5. UNFPA. The AIDS epidemic for adolescents: Annual repport about AIDS withadolescents. 2016.

- Oluwatoyin E. S, Modupe OO. Risky sexual behaviour among secondary school
 adolescents in Ibadan North local government area, Nigeria. IOSR *Journal of Nursing* and Health Science 2014. doi: 10.9790/1959-03343444.
- 79. Zou Y, Yan H, Wu H, Chen R, Huang D, Li S. Female undergraduate fine Arts students:

 A high-risk population for multiple sexual partners, unwanted pregnancy and sexually
 transmitted infections in China. Eur J Contracept Reproductive. Health Care. 2013;18

 (2):127-36.
- 8. Titiloye MA, & Ajuwon AJ. Knowledge and quality of adolescents reproductive health communication between parents and their adolescent children in Ibadan, Nigeria. *Journal of Public Health in Africa 2017*; 8(1). https://doi.org/10.4801/jphia.2017.688.
- Gilliam M L, Neustadt A, Whitaker A, Kozloski M. Familial, cultural and psychosocial
 influences of use of effective methods of contraception among Mexican-American
 adolescents and young adults. *Journal of Pediatric and Adolescent Gynecology* 2011; 24,
 79-84. doi:10.1016/j.jpag.2010.10.002.
- 10. Guilamo-Ramos V, Bouris A, Lee J, McCarthy K, Michael S L, Pitt-Barnes S, Dittus P.
 Paternal influence on adolescent sexual risk behaviours: A structured literature review.
 Pediatrics 2012; 130, 1313-1325.
- 11. Bastein S, Kajulu LJ, Muhwezi WW. A review of studies of parent-child communication about sexuality & HIV/AIDS in Sub-Saharan Africa. BMC Reproductive Health 2011; 810 8(25):1-17.
- 12. Fanta M, Lemma S, Sagaro GG, & Meskele M. Factors associated with adolescent–
 parent communication of reproductive health issues among high school and preparatory
 students in Boditi town, Southern Ethiopia: a cross-sectional study 2015.

- 13. Yadeta D, Bechane HK, & Tura AK. Factors affecting parent-adolescent discussion on
- reproductive health issues in Harar, Eastern Ethiopia: A cross-sectional Study. *Journal of*
- 816 Environmental & Public Health. Volume. 2014.
- 817 14. Advocates for Youth. Parent-child communication fact sheet: Promoting Sexuality
- Healthy Youth. Washington DC. 2010.
- 15. Shiferaw K, Getahun F, Asres G. Assessment of adolescent's communication on sexual
- & reproductive health matters with parents and associates factors among secondary and
- preparatory schools' students in Debremarkos town, North Ethiopia. Reproductive
- 822 Health. 2014; 11:2.
- 16. Esuabana S. Perception of parents towards sex education on primary school pupils in
- Calabar education zone of Cross River state, Nigeria. *International Journal of Scientific*
- *Research in Education. 2017*; 10(2), 176- 190.
- 17. Ayalew M, Mengistie B, Semahegn A. Adolescent- parent communication on sexual &
- reproductive health issues among high school students in Dire, Dana, Eastern Ethiopia: a
- cross sectional study. Reproductive Health. 2014; 11:77. https://doi.org/10.1186/1742-
- 829 4755-11-77.
- 830 18. Akpama EG. Parental perception of the teaching of sex education to adolescent in
- 831 secondary school in Cross River State, Nigeria. Journal of Research & Method in
- 832 *Education.* 2013; 1(3), 31-36.
- 19. Nyarko K, Adentwi KI., Asumeng M, Ahulu L, D. Parental attitude towards sex
- 834 education at the lower primary in Ghana. *International Journal of Elementary Education*
- 835 *2014*; 3(2):21-29.

- 20. Ukpaka CP, & Ukpaka C. Characteristics of groundwater in Port Harcourt Local Government Area, *Chem. Int. 2016*; *2*(3) 136-144.
- 21. United Nations International Children's Emergency Fund. Statistical tables. 2017.
- 839 22. Nundwe CS. Barriers to communication between parents and adolescents concerning
 840 sexual and reproductive health issues: A case study of Kinndonimunicipality. Muhimbili
- University of health and allied sciences. 2012.
- 23. Dessie Y, Berhane Y, Worku A. Parent-adolescent Sexual and Reproductive Health communication is very limited and associated with adolescent poor behavioural beliefs and subjective norms: Evidence for a community based cross-sectional study in Eastern Ethiopia. PLoS ONE. 2015; 10(7):e0129941. doi: 10.1371/journal.pone.0129941
- 24. Adofoli GM. Parents adolescent communication on sexual health and behaviour in

 Anfoega North Dayi. http://ugspace.ug.edu.gh/handle/123456789/25870. 2018.
- 25. Linberg Laura. Fewer U.S teens are receiving formal sex education now than in the past.

 Guttmacher Institute. 2016.
- 26. Oejbuyi BR, Fagbamigbe AF, Akinola, OO. Prevalence of and factors influencing
 Parent-Child communication about HIV/AIDS, and Sexual and Reproductive Health
 issues in Nigeria. 2019. https://doi.org/10.1177/2158244019833880.
- 27. Mbachu CO, Agu IC, Eze I, Agu C, Ezenwaka U, Ezumah N, Onwujekwe O. Exploring issues in caregivers and parent communication of sexual and reproductive health matters with adolscents in Ebonyi sate, Nigeria. 2020; 20:77 https://doi.org/10.1186/s12889-019-856 8058-5.

- 28. Kamangu AA, John MR, Nyakoki SJ. Barriers to parent-child communication on sexual and reproductive health issues in East Africa: A review of qualitative research in four countries. *Journal of African Studies and Development*. 2017; 9(4), 45-50.
- 29. Motsomi K, Makanjee C, Basera T, Nyasulu P. Factors affecting effective communication about sexual and reproductive health issues between parents and adolescents in zandspruit informal settlement, Johannesburg, South Africa. *The Pan African Medical Journal* 2016; 25.
- 30. Krugu JK, Mevissen FEF, Prinsen A, Ruiter RAC, Muleya M. Who's that girl? A qualitative analysis of adolescent girls' views on factors associated with teenage pregnancies in Bolgatanga, Ghana. Reprod Health. 2016. https://doi.org/10.1186/s12978-016-0161-9.
- 31. Aliyu TK, Aransiola, JO. Parent-Adolescent Communication About Reproductive Health

 Issues in Nigeria. *SAGE Open*, 2023;*13* (2), 21582440231166607.
- 32. Pariera K. Barriers and prompts to parent-child sexual communication. *Journal of Family*871 *Communication 2016.* DOI: 10.1080/15267431.2016.1181068.
- 33. Klu D, Agordoh P, Acquah E, Doegah P, Ofosu A, Ansah E.K, Gyapong M.

 Determinants of communication between adolescents and their parents in the Adaklu

 district of the Volta region, Ghana: a multinomial logistic regression analysis.

 Reproductive health 2022; 19(1), 101. https://doi.org/10.1186/s12978-022-01402-0.
- 876 34. Rimamnunra GN, Bitto TT, Areo OO, Ukpabi DE, Bako IA et al. Factors that Influence 877 Parent-Adolescent Communication on Adolescent Reproductive Health in Benue State 878 Nigeria. **UM** Biomed Res Clin Pract: 2021;4(4):1-9. nega DOI: 879 10.5281/zenodo.6330083

880	35. Malaclane M, Beckmeyer JJ. A review of parent-based barriers to parent-adolescent
881	communication about sex and sexuality: Implications for sex and family educators.
882	American Journal of Sexuality Education 2016; 11(1):27-40. DOI:
883	10.1080/15546128.2016.1146187.
884	36. Mba CJ. Sexual behaviours and the risks of HIV/AIDS and other STDs among young
885	people in sub-Saharan Africa: an under-researched area? BMC Int. Health Hum.Rights
886	2013; 13:11.
887	
888	
889	